



SHP-P52

Rigid Handle

- Access log
- Scheduled PIN code
- One-time-use PIN code
- Fingerprint, RFID & APP access
- Lock status alert
- Intrusion alarm
- Randomizer
- Volume setting
- 2 Step authentication
- Away mode
- Lockout mode
- Low battery notification
- High temperature alarm
- Auto locking
- Intuitive LED touch pad
- LED status icons
- Privacy mode
- Emergency key




Specification

Accessibilities	Fingerprint, Mobile application, PIN code, RFID, Emergency key
PIN Code	4-12 digit number combination
Door thickness	40-50mm
Power	AA Alkaline battery X 8 (DC 6V)
Battery life	Approximately 10 months (10 times per day on average)
Size (WxHxD)	Exterior unit : 83(W) x 395(H) x 64(D)mm Interior unit : 83(W) x 395(H) x 64(D)mm
Color	Gold

Line up comparison

Funtions/ Model	SHP-P52GCXC	SHP-P52HCXC	SHP-P52SCXC
PIN Code	o	o	o
RF card	o	o	o
Fingerprint	o	o	-
Emergency key	o	o	o
Wi-Fi	o	-	-



Smart Open (Wi-Fi)

Whether you are out of home, you can remotely unlock the door lock with mobile application.



Real-time Access Notification

Be notified with push message on your smartphone in real-time when your family returns. (With optional Wi-Fi module)



Hold and Open

With a fast and accurate fingerprint recognition sensor, you can open the door with just ONE STEP fingerprint recognition while holding the handle.



Lock Status Alert

You're always notified with push message when the battery is low, intrusion alarm occurs, etc.



Open with Ease

Once authenticated, the door will unlock and automatically push out the door slightly so the user can open the door with ease.



Tap to Open

Equipped with a sophisticated button sensor and physical button, the door can be opened by tapping the unlock button or by pushing the button twice.